

Product Feature:

- 1/4" HD-CMOS
- IR Array Outdoor Camera(Weatherproof)
- HD@720P
- CS Lens 8mm
- 4-Array IR / upto 80-100Mtr.
- Back Light Compensation



Model	VIN-AHD-L14-10AR-A4
Image Sensor	1/4" HD CMOS
Resolution	PAL/NTSC : 1280 x 720
Minimum Illumintion	0.1 Lux (Color/Day) 0.01Lux(B/W)
Shutter Type	1/50(1/60)fps~1/100,000fps
Camera Pixels	720P
White Balance	Auto Tracking White Balance
Back light Compensation	Auto
Lens Furnished	CS Lens 8mm
Lens Type	HD Lens / IR Cut Filter
Gain Control	Auto
3D-DNR (3D Digital Noise Reduction)	Auto
IR LED / IR Distance	4 Array IR 12 MIL/8/0-100 Mtr.
Video Output	AHD - BNC
Power Source	12 V DC \pm 10%
Current Drawn	1600mA (Max.)
Operating Temperature	-10°C to +55°C

Product Feature:

- 1/4" HD-CMOS
- IR Outdoor Camera(Weatherproof)
- HD@720P
- 3.6mm MP HD Lens
- 4 Aarray IR LED /.up to 10-20 Mtr..
- Back Light Compensation



Model	VIN-AHD-L14-10IB-AR-4-P
Image Sensor	1/4" HD CMOS
Resolution	PAL/NTSC : 1280 x 720
Minimum Illumintion	0.1 Lux (Color/Day) 0.01Lux(B/W)
Shutter Type	1/50(1/60)fps~1/100,000fps
Camera Pixels	720P
White Balance	Auto Tracking White Balance
Back light Compensation	Auto
Lens Furnished	3.6mm MP HD Lens
Lens Type	HD Lens / IR Cut Filter
Gain Control	Auto
3D-DNR (3D Digital Noise Reduction)	Auto
IR LED / IR Distance	4 Array IR LED / 10-20 Mtr.
Video Output	AHD - BNC
Power Source	12 V DC \pm 10%
Current Drawn	500mA (Max.)
Operating Temperature	-10°C to +55°C

Product Feature:

- 1/4" HD-CMOS
- IR Outdoor Camera(Weatherproof)
- HD@720P
- 3.6mm MP HD Lens
- 4 Aarray IR LED /.up to 10-20 Mtr..
- Back Light Compensation



Model	VIN-AHD-A17-10IB-AR-4-P
Image Sensor	1/4" HD CMOS
Resolution	PAL/NTSC : 1280 x 720
Minimum Illumintion	0.1 Lux (Color/Day) 0.01Lux(B/W)
Shutter Type	1/50(1/60)fps~1/100,000fps
Camera Pixels	720P
White Balance	Auto Tracking White Balance
Back light Compensation	Auto
Lens Furnished	3.6mm MP HD Lens
Lens Type	HD Lens / IR Cut Filter
Gain Control	Auto
3D-DNR (3D Digital Noise Reduction)	Auto
IR LED / IR Distance	4 Array IR LED / 10-20 Mtr.
Video Output	AHD - BNC
Power Source	12 V DC \pm 10%
Current Drawn	500mA (Max.)
Operating Temperature	-10°C to +55°C

Product Feature:

- 1/4" HD-CMOS
- IR Outdoor Camera(Weatherproof)
- HD@720P
- 3.6mm MP HD Lens
- 36-IR LED /.upto 30Mtr..
- Day / Night color



Model	VIN-AHD-G16-102-P
Image Sensor	1/4" HD CMOS
Resolution	PAL/NTSC : 1280 x 720
Minimum Illumintion	0.1 Lux (Color/Day) 0.01Lux(B/W)
Shutter Type	1/50(1/60)fps~1/100,000fps
Camera Pixels	720P
Day / Night Color	Yes
Back light Compensation	Auto
Lens Furnished	3.6mm MP HD Lens
Lens Type	HD Lens / IR Cut Filter
Gain Control	Auto
3D-DNR (3D Digital Noise Reduction)	Auto
IR LED / IR Distance	36-IR ø 5mm 12 MIL/30 Mtr.
Video Output	AHD - BNC
Power Source	12 V DC ± 10%
Current Drawn	500mA (Max.)
Operating Temperature	-10°C to +55°C

Product Feature:

- 1/4" HD-CMOS
- IR Outdoor Camera(Weatherproof)
- HD@720P
- 3.6mm MP HD Lens
- 6-Array IR LED /.up to 20-30 Mtr..
- Back Light Compensation



Model	VIN-AHD-L14-10IB-AR-6
Image Sensor	1/4" HD CMOS
Resolution	PAL/NTSC : 1280 x 720
Minimum Illumintion	0.1 Lux (Color/Day) 0.01Lux(B/W)
Shutter Type	1/50(1/60)fps~1/100,000fps
Camera Pixels	720P
White Balance	Auto Tracking White Balance
Back light Compensation	Auto
Lens Furnished	3.6mm MP HD Lens
Lens Type	HD Lens / IR Cut Filter
Gain Control	Auto
3D-DNR (3D Digital Noise Reduction)	Auto
IR LED / IR Distance	6-Array IR LED / 20-30 Mtr.
Video Output	AHD - BNC
Power Source	12 V DC \pm 10%
Current Drawn	500mA (Max.)
Operating Temperature	-10°C to +55°C

Product Feature:

- 1/4" HD-CMOS
- IR Outdoor Camera(Weatherproof)
- HD@720P
- 3.6mm MP HD Lens
- 48-IR LED /.upto 40Mtr..
- Back Light Compensation



Model	VIN-AHD-L14-10IB48
Image Sensor	1/4" HD CMOS
Resolution	PAL/NTSC : 1280 x 720
Minimum Illumintion	0.1 Lux (Color/Day) 0.01Lux(B/W)
Shutter Type	1/50(1/60)fps~1/100,000fps
Camera Pixels	720P
White Balance	Auto Tracking White Balance
Back light Compensation	Auto
Lens Furnished	3.6mm MP HD Lens
Lens Type	HD Lens / IR Cut Filter
Gain Control	Auto
3D-DNR (3D Digital Noise Reduction)	Auto
IR LED / IR Distance	48-IR ø 5mm 12 MIL/40 Mtr.
Video Output	AHD - BNC
Power Source	12 V DC ± 10%
Current Drawn	550mA (Max.)
Operating Temperature	-10°C to +55°C

Product Feature:

- 1/4" HD-CMOS
- IR Outdoor Camera(Weatherproof)
- HD@720P
- 2.8~12mm varifocal Lens
- 42-IR LED /.upto 35Mtr..
- Back Light Compensation



Model	VIN-AHD-L14-10IB42-VF
Image Sensor	1/4" HD CMOS
Resolution	PAL/NTSC : 1280 x 720
Minimum Illumintion	0.1 Lux (Color/Day) 0.01Lux(B/W)
Shutter Type	1/50(1/60)fps~1/100,000fps
Camera Pixels	720P
White Balance	Auto Tracking White Balance
Back light Compensation	Auto
Lens Furnished	2.8~12mm Varifocal Lens
Lens Type	HD Lens / IR Cut Filter
Gain Control	Auto
3D-DNR (3D Digital Noise Reduction)	Auto
IR LED / IR Distance	42-IR ø 5mm 12 MIL/35 Mtr.
Video Output	AHD - BNC
Power Source	12 V DC ± 10%
Current Drawn	550mA (Max.)
Operating Temperature	-10°C to +55°C

Product Feature:

- 1/4" HD-CMOS
- IR Dome Camera
- HD@720P
- 3.6mm MP HD Lens
- 24-IR LED /.upto 20Mtr..
- Back Light Compensation



Model	VIN-AHD-L14-10ID24
Image Sensor	1/4" HD CMOS
Resolution	PAL/NTSC : 1280 x 720
Minimum Illumintion	0.1 Lux (Color/Day) 0.01Lux(B/W)
Shutter Type	1/50(1/60)fps~1/100,000fps
Camera Pixels	720P
White Balance	Auto Tracking White Balance
Back light Compensation	Auto
Lens Furnished	3.6mm MP HD Lens
Lens Type	HD Lens / IR Cut Filter
Gain Control	Auto
3D-DNR (3D Digital Noise Reduction)	Auto
IR LED / IR Distance	24-IR ø 5mm 12 MIL/20 Mtr.
Video Output	AHD - BNC
Power Source	12 V DC ± 10%
Current Drawn	400mA (Max.)
Operating Temperature	-10°C to +55°C

Product Feature:

- 1/4" HD-CMOS
- IR Dome Camera
- HD@720P
- 3.6mm MP HD Lens
- 36-IR LED /.upto 35Mtr..
- Back Light Compensation



Model	VIN-AHD-L14-10ID36
Image Sensor	1/4" HD CMOS
Resolution	PAL/NTSC : 1280 x 720
Minimum Illumintion	0.1 Lux (Color/Day) 0.01Lux(B/W)
Shutter Type	1/50(1/60)fps~1/100,000fps
Camera Pixels	720P
White Balance	Auto Tracking White Balance
Back light Compensation	Auto
Lens Furnished	3.6mm MP HD Lens
Lens Type	HD Lens / IR Cut Filter
Gain Control	Auto
3D-DNR (3D Digital Noise Reduction)	Auto
IR LED / IR Distance	36-IR ø 5mm 12 MIL/30 Mtr.
Video Output	AHD - BNC
Power Source	12 V DC ± 10%
Current Drawn	500mA (Max.)
Operating Temperature	-10°C to +55°C

Product Feature:

- 1/4" HD-CMOS
- IR Dome Camera
- HD@720P
- 3.6mm MP HD Lens
- 6 Array IR LED /.20-30Mtr..
- Back Light Compensation



Model	VIN-AHD-L14-10ID-AR-6
Image Sensor	1/4" HD CMOS
Resolution	PAL/NTSC : 1280 x 720
Minimum Illumintion	0.1 Lux (Color/Day) 0.01Lux(B/W)
Shutter Type	1/50(1/60)fps~1/100,000fps
Camera Pixels	720P
White Balance	Auto Tracking White Balance
Back light Compensation	Auto
Lens Furnished	3.6mm MP HD Lens
Lens Type	HD Lens / IR Cut Filter
Gain Control	Auto
3D-DNR (3D Digital Noise Reduction)	Auto
IR LED / IR Distance	6 Array IR LED / 20-30 Mtr.
Video Output	AHD - BNC
Power Source	12 V DC \pm 10%
Current Drawn	500mA (Max.)
Operating Temperature	-10°C to +55°C

Product Feature:

- 1/4" HD-CMOS
- IR Dome Camera
- HD@720P
- 3.6mm MP HD Lens
- 36-IR LED /.upto 35Mtr..
- Day / Night Color



Model	VIN-AHD-G16-102
Image Sensor	1/4" HD CMOS
Resolution	PAL/NTSC : 1280 x 720
Minimum Illumintion	0.1 Lux (Color/Day) 0.01Lux(B/W)
Shutter Type	1/50(1/60)fps~1/100,000fps
Camera Pixels	720P
Day / Night Color	Yes
Back light Compensation	Auto
Lens Furnished	3.6mm MP HD Lens
Lens Type	HD Lens / IR Cut Filter
Gain Control	Auto
3D-DNR (3D Digital Noise Reduction)	Auto
IR LED / IR Distance	36-IR ø 5mm 12 MIL/30 Mtr.
Video Output	AHD - BNC
Power Source	12 V DC ± 10%
Current Drawn	500mA (Max.)
Operating Temperature	-10°C to +55°C

Product Feature:

- 1/4" HD CMOS
- Normal Big Dome Camera
- HD@720P
- CS Lens 6mm (4mm Optional)
- High Definition Analog Series



Model	VIN-AHD-L14-10ID-UL
Image Sensor	1/4" HD CMOS
Resolution	PAL/NTSC : 1280 x 720
Minimum Illumintion	0.1 Lux (Color/Day) 0.01Lux(B/W)
Shutter Type	1/50(1/60)fps~1/100,000fps
Camera Pixels	720P
Day / Night Color	Yes
Back light Compensation	Auto
Lens Furnished	CS Lens 6mm (4mm Optional)
Lens Type	HD Lens / IR Cut Filter
Gain Control	Auto
3D-DNR (3D Digital Noise Reduction)	Auto
IR LED / IR Distance	N / A
Video Output	AHD - BNC
Power Source	12 V DC \pm 10%
Current Drawn	500mA (Max.)
Operating Temperature	-10°C to +55°C